

Sheet 1 of 4

SUBSTITUTE FORM PTO-1449 (MODIFIED)  U.S. DEPARTMENT OF COMMERCE PATENT AND TRADEMARK OFFICE  INFORMATION DISCLOSURE STATEMENT BY APPLICANT (Use several sheets if necessary)  (37 C.F.R. § 1.98(b))	Attorney Docket No.	50274/021003
	Serial No.	10/586,229
	Applicant	Vollmers et al.
	Filing Date	July 19, 2006
	Group	Not Yet Assigned
	IDS Filed	April 7, 2008

U.S. PATENT DOCUMENTS			
Examiner's Initials	Document Number	Publication Date	Patentee or Applicant
	US 5,763,224	June 9, 1998	Caras et al.
	US 2005/0032134	February 10, 2005	Mueller-Hermelink et al.

FOREIGN PATENT OR PUBLISHED FOREIGN PATENT APPLICATION				
Examiner's Initials	Document Number	Publication Date	Country or Patent Office	Translation (Yes/No)
	WO 00/037489 A2, A3	June 29, 2000	WIPO	Yes
	WO 03/011907 A2, A3	February 13, 2003	WIPO	Yes
	WO 03/076472 A2	September 18, 2003	WIPO	
	WO 2004/005351 A2	January 15, 2004	WIPO	
	WO 2005/116076	December 8, 2005	WIPO	

OTHER DOCUMENTS (INCLUDING AUTHOR, TITLE, DATE, PLACE OF PUBLICATION)	
	Applemelk et al., "Molecular Mimicry Between <i>Helicobacter pylori</i> and the Host," <i>Trends Microbiol.</i> 5:70-74 (1997).
	Brändlein et al., "CFR-1 Receptor as Target for Tumor-Specific Apoptosis Induced by the Natural Human Monoclonal Antibody PAM-1," <i>Oncol. Rep.</i> 11:777-784 (2004).
	Brändlein et al., "Cysteine-Rich Fibroblast Growth Factor Receptor 1, A New Market for Precancerous Epithelial Lesions Defined by the Human Monoclonal Antibody PAM-1," <i>Cancer Res.</i> 63:2052-2061 (2003).
	Brändlein et al., "Human Monoclonal IgM Antibodies with Apoptotic Activity Isolated from Cancer Patients," <i>Hum. Antibodies</i> 11:107-119 (2002).
	Brändlein et al., "Natural IgM Antibodies and Immunosurveillance Mechanisms Against Epithelial Cancer Cells in Humans," <i>Cancer Res.</i> 63:7995-8005 (2003).
	Brown and Gatter, "Ki67 Protein: The Immaculate Deception?," <i>Histopathology</i> 40:2-11 (2002).

EXAMINER	DATE CONSIDERED
EXAMINER: Initial citation considered. Draw line through citation if not in conformance and not considered. Include copy of this form with the next communication to applicant.	

ALL REFERENCES CONSIDERED EXCEPT WHERE LINED THROUGH. /MH/

SUBSTITUTE FORM PTO-1449 U.S. DEPARTMENT OF COMMERCE (MODIFIED) PATENT AND TRADEMARK OFFICE  INFORMATION DISCLOSURE STATEMENT BY APPLICANT (Use several sheets if necessary)  (37 C.F.R. § 1.98(b))	Attorney Docket No.	50274/021003
	Serial No.	10/586,229
	Applicant	Vollmers et al.
	Filing Date	July 19, 2006
	Group	Not Yet Assigned
	IDS Filed	April 7, 2008

OTHER DOCUMENTS (INCLUDING AUTHOR, TITLE, DATE, PLACE OF PUBLICATION)	
	Burrus et al., "Identification of Cysteine-Rich Receptor for Fibroblast Growth Factors," <i>Mol. Cell Biol.</i> 12:5600-5609 (1992).
	"Cancer Research Information for Authors," ( <a href="http://cancerres.aacrjournals.org/misc/fora.shtml">http://cancerres.aacrjournals.org/misc/fora.shtml</a> ) accessed November 9, 2007.
	Claeys et al., "The Gastric H <sup>+</sup> ,K <sup>+</sup> -ATPase is a Major Autoantigen in Chronic <i>Helicobacter pylori</i> Gastritis With Body Mucosa Atrophy," <i>Gastroenterology</i> 115:340-347 (1998).
	Crabtree et al., "Gastric Interleukin-8 and IgA IL-8 Autoantibodies in <i>Helicobacter pylori</i> Infection," <i>Scand. J. Immunol.</i> 37:65-70 (1993).
	Endl and Gerdes, "The Ki-67 Protein: Fascinating Forms and an Unknown Function," <i>Exp. Cell Res.</i> 257:231-237 (2000).
	GenBank Accession No. AAB02178 (printed on January 20 2005).
	GenBank Accession No. AAB06460 (printed January 20 2005).
	Gonatas, et al., "MG-160, a Membrane Sialoglycoprotein of the Medial Cisternae of the Rat Golgi Apparatus, Binds Basic Fibroblast Growth Factor and Exhibits a High Level of Sequence Identity to a Chicken Fibroblast Growth Factor Receptor," <i>J. of Cell Sci</i> 108:457-467 (1995).
	Gonatas, et al., "Truncations of the C-Terminal Cytoplasmic Domain of MG160, a Medial Golgi Sialoglycoprotein, Result in its Partial Transport to the Plasma Membrane and Filopodia," <i>J. Cell Sci.</i> 111:249-260 (1998).
	Hensel et al., "Characterization of Glycosylphosphatidylinositol-linked Molecule CD55/Decay-accelerating Factor as the Receptor for Antibody SC-1-Induced Apoptosis," <i>Cancer Res.</i> 59:5299-5306 (1999).
	Hensel et al., "Mitogenic Autoantibodies in <i>Helicobacter pylori</i> -Associated Stomach Cancerogenesis," <i>Int. J. Cancer</i> 81:229-235 (1999).
	Hensel et al., "A Novel Proliferation-Associated Variant of CFR-1 Defined by a Human Monoclonal Antibody," <i>Lab. Invest.</i> 81(8):1097-1108 (2001).
	Hensel et al., "A New Variant of Cysteine-Rich FGF Receptor (CFR-1) Specifically Expressed on Tumor Cells," <i>Institute of Pathology</i> (2000) (Abstract 4438).
	Hensel et al., "Regulation of the New Coexpressed CD55 (Decay-Accelerating Factor) Receptor on Stomach Carcinoma Cells Involved in antibody SC-1-Induced Apoptosis," <i>Lab. Invest.</i> 81:1553-1563 (2001).
	Hermann et al., "Deactivation of Regulatory Proteins hnRNP A1 and A2 During SC-1 Induced Apoptosis," <i>Hum. Antibodies</i> 10:83-90 (2001).

ALL REFERENCES CONSIDERED EXCEPT WHERE LINED THROUGH. /MH/

EXAMINER	DATE CONSIDERED
EXAMINER: Initial citation considered. Draw line through citation if not in conformance and not considered. Include copy of this form with the next communication to applicant.	

SUBSTITUTE FORM PTO-1449 U.S. DEPARTMENT OF COMMERCE (MODIFIED) PATENT AND TRADEMARK OFFICE  INFORMATION DISCLOSURE STATEMENT BY APPLICANT (Use several sheets if necessary)  (37 C.F.R. § 1.98(b))	Attorney Docket No.	50274/021003
	Serial No.	10/586,229
	Applicant	Vollmers et al.
	Filing Date	July 19, 2006
	Group	Not Yet Assigned
	IDS Filed	April 7, 2008

OTHER DOCUMENTS (INCLUDING AUTHOR, TITLE, DATE, PLACE OF PUBLICATION)	
	Ma et al., "Positive Correlation between H,K-Adenosine Triphosphatase Autoantibodies and <i>Helicobacter pylori</i> Antibodies in Patients with Pernicious Anemia," <i>Scand. J. Gastroenterol.</i> 29(11):961-965 (1994).
	Mourelatos et al., "Cloning and Sequence Analysis of the Human MG160, a Fibroblast Growth Factor and E-Selectin Binding Membrane Sialoglycoprotein of the Golgi Apparatus," <i>DNA and Cell Biology</i> 15:1121-1128 (1996).
	Negrini et al., "Antigenic Mimicry between <i>Helicobacter pylori</i> and Gastric Mucosa in the Pathogenesis of Body Atrophic Gastritis," <i>Gastroenterol.</i> 111:655-665 (1996).
	Pfaff et al., "Human Monoclonal Antibody Against a Tissue Polypeptide Antigen-Related Protein from a Patient with a Signet-Ring Cell Carcinoma of the Stomach," <i>Cancer Res.</i> 50:5192-5198 (1990).
	Ramires et al., "Ki67 Labeling Index in Gastric Carcinomas. An Immunohistochemical Study Using Double Staining for the Evaluation of the Proliferative Activity of Diffuse-Type Carcinomas," <i>J. Pathol.</i> 182:62-67 (1997).
	Scholzen and Gerdes, "Ki67 Protein: From the Known and Unknown," <i>J. Cell. Physiol.</i> 182:311-322 (2000).
	Smalheiser, "Proteins in Unexpected Locations," <i>Mol. Biol. Cell</i> 7:1003-1014 (1996).
	Steegmaier et al., "The E-selectin-ligand ESL-1 is a Variant of a Receptor for Fibroblast Growth Factor," <i>Nature</i> 373:615-620 (1995).
	Steegmaier et al., "The E-selectin-ligand is Located in the Golgi As Well As on Microvilli on the Cell Surface," <i>J. Cell Sci.</i> 110:687-694 (1997).
	Steininger et al., "Apoptosis in Chronic Gastritis and its Correlation with Antigastatic Autoantibodies," <i>Virchows Arch</i> 433:13-18 (1998).
	Stieber et al., "MG160, A Membrane Protein of the Golgi Apparatus Which is Homologous to a Fibroblast Growth Factor Receptor and to a Ligand for E-selectin, Is Found Only in the Golgi Apparatus and Appears in Early Chicken Embryo Development," <i>Exp. Cell Res.</i> 219:562-570 (1995).
	Stulle et al., "Human Stomach Carcinoma-Specific T Cells Derived from the Tumor-Draining Lymph Nodes," <i>Br. J. Cancer</i> 70:1053-1059 (1994).
	Vollmers et al., "Adjuvant Therapy for Gastric Adenocarcinoma with the Apoptosis-Inducing Human Monoclonal Antibody SC-1: First Clinical and Histopathological Results," <i>Oncol. Rep.</i> 5:549-552 (1998).
	Vollmers et al., "Apoptosis of Stomach Carcinoma Cells Induced by a Human Monoclonal Antibody," <i>Cancer</i> 76:550-558 (1995).
	Vollmers et al., "Human Monoclonal Antibodies from Stomach Carcinoma Patients React with <i>Helicobacter pylori</i> and Stimulate Stomach Cancer Cells in Vitro," <i>Cancer</i> 74(5):1525-1532 (1994).

ALL REFERENCES CONSIDERED EXCEPT WHERE LINED THROUGH. /MH/

EXAMINER	DATE CONSIDERED
EXAMINER: Initial citation considered. Draw line through citation if not in conformance and not considered. Include copy of this form with the next communication to applicant.	

SUBSTITUTE FORM PTO-1449 U.S. DEPARTMENT OF COMMERCE (MODIFIED) PATENT AND TRADEMARK OFFICE  INFORMATION DISCLOSURE STATEMENT BY APPLICANT (Use several sheets if necessary)  (37 C.F.R. § 1.98(b))	Attorney Docket No.  Serial No.  Applicant  Filing Date  Group  IDS Filed	50274/021003  10/586,229  Vollmers et al.  July 19, 2006  Not Yet Assigned  April 7, 2008
--	---	---

OTHER DOCUMENTS (INCLUDING AUTHOR, TITLE, DATE, PLACE OF PUBLICATION)	
	Vollmers and Birchmeier, "Monoclonal Antibodies Inhibit the Adhesion of Mouse B 16 Melanoma cells <i>In Vitro</i> and Block Lung Metastasis <i>In Vivo</i> ," <i>Proc. Natl. Acad. Sci. USA</i> 80:3279-3733 (1983).
	Vollmers et al., "Monoclonal Antibodies NORM-1 and NORM-2 Induce More Normal Behavior of Tumor Cells <i>In Vitro</i> and Reduce Tumor Growth <i>In Vivo</i> ," <i>Cell</i> 40:547-557 (1985).
	Vollmers and Brändlein, "Nature's Best Weapons to Fight Cancer. Revival of Human Monoclonal IgM Antibodies," <i>Hum. Antibodies</i> 11:131-142 (2002).
	Vollmers et al., "PAM-1, a Human Monoclonal IGM Antibody Usefull for Diagnosis and Therapy of Precancerous and Cancerous Epithelial Lesions," <i>Human Antibodies</i> 11:3-7 (2002).
	Vollmers et al., "SC-1, a Functional Human Monoclonal Antibody Against Autologous Stomach Carcinoma Cells," <i>Cancer Res.</i> 49:2471-2476 (1989).
	Vollmers et al., "Tumor-Specific Apoptosis Induced by the Human Monoclonal Antibody SC-1: A New Therapeutical Approach for Stomach Cancer," <i>Oncol. Rep.</i> 5:35-40 (1998).
	Zuber et al., "Cysteine-Rich FGF Receptor Regulates Intracellular FGF-1 and FGF-2 Levels," <i>J. Cell. Physiol.</i> 170:217-227 (1997).
	International Search Report for PCT/IB2005/002480 mailed December 1, 2005 (dated Nov 17, 2005).
	Written Opinion for PCT/IB2005/002480 mailed December 1, 2005 (dated Nov 17, 2005).
	International Preliminary Report on Patentability for PCT/IB2005/002480 mailed August 3, 2006.

ALL REFERENCES CONSIDERED EXCEPT WHERE LINED THROUGH. /MH/

EXAMINER /Mark Halvorson/	DATE CONSIDERED 03/08/2010
EXAMINER: Initial citation considered. Draw line through citation if not in conformance and not considered. Include copy of this form with the next communication to applicant.	